


AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of the claims in this application:

1. (Previously Presented) A compound of formula (I):



wherein:

- R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 6 carbon atoms;
- Y, which may be identical or different, are each chosen from -CO-S-R' groups, -CO-NHR' groups, NH-COR' groups and -S-COR' groups, wherein R', which may be identical or different, are each chosen from
 - hydrogen atoms,
 - aryl groups, optionally substituted with at least one hydrocarbon comprising 1 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons, and
 - linear, branched and cyclic, saturated and unsaturated hydrocarbons comprising 1 to 22 carbon atoms;

wherein at least one of said R' groups is chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

2. (Original) A compound according to Claim 1, wherein R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 4 carbon atoms.

3. (Canceled)

4. (Previously Presented) A compound according to Claim 1, wherein for R', said linear, branched and cyclic, saturated and unsaturated hydrocarbons comprise 10 to 18 carbon atoms.

5. (Canceled)

6. (Previously Presented) A compound according to Claim 1, wherein at least one of said R' groups is chosen from linear and branched, saturated and unsaturated hydrocarbons comprises 10 to 18 carbon atoms.

7. (Previously Presented) A compound according to Claim 1, wherein at least two of said R' groups are chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

8. (Previously Presented) A compound according to Claim 1, wherein at least three of said R' groups are chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

9. (Previously Presented) A compound according to Claim 1, wherein said R' is chosen from linear and branched hydrocarbons comprising 2 to 22 carbons and one C=C double bond.

10. (Previously Presented) A compound according to Claim 1, wherein said R' is chosen from linear and branched hydrocarbons comprising 10 to 18 carbons and one C=C double bond.


11. (Original) A compound according to Claim 1, wherein said R' is chosen from caproyleyl groups, lauroyleyl groups, myristoyleyl groups, palmitoyleyl groups, oleyl groups, gadoleyl groups, linoleyl groups, linolenyl groups and elaidyl groups.

12. (Canceled)

13. (Previously Presented) A compound according to Claim 1 chosen from:
- cis-1,3,5-tris(oleylaminocarbonyl)cyclohexane,
 - cis-1,3,5-tris(gadoleylaminocarbonyl)cyclohexane,
 - cis-1,3,5-tris(elaidylaminocarbonyl)cyclohexane,
 - cis-1,3-bis(oleylaminocarbonyl)-cis-5-(octadecylaminocarbonyl)cyclohexane,

- cis-1,3-bis(oleylaminocarbonyl)-cis-5-(dodecylaminocarbonyl)cyclohexane,
- cis-1,3-bis(oleylaminocarbonyl)-cis-5-[N-(3,7-dimethyloctyl)aminocarbonyl]cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis(octadecylaminocarbonyl)cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis(dodecylaminocarbonyl)cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis[N-(3,7-dimethyloctyl)aminocarbonyl]cyclohexane,
- trans-1,3,5-trimethyl-1,3,5-tris(oleylaminocarbonyl)cyclohexane and
- trans-1,3,5-trimethyl-1,3,5-tris(gadoleylaminocarbonyl)cyclohexane.

14. (Previously Presented) A composition comprising at least one compound of formula (I):



wherein:

- R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 6 carbon atoms;

- Y, which may be identical or different, are each chosen from -CO-S-R' groups,
 - CO-NHR' groups, NH-COR' groups and -S-COR' groups, wherein R', which may be identical or different, are each chosen from
 - hydrogen atoms,
 - aryl groups substituted with at least one hydrocarbon comprising 10 to 18 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons, optionally substituted with at least one hydrocarbon comprising 1 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons, and
 - linear, branched and cyclic, saturated and unsaturated hydrocarbons comprising 1 to 22 carbon atoms;
- wherein at least one of said R' groups is chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

15-16. (Canceled)

17. (Original) A composition according to Claim 14, wherein R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 4 carbon atoms.

18. (Canceled)

19. (Previously Presented) A composition according to Claim 14, wherein for R', said linear branched, and cyclic, saturated and unsaturated hydrocarbons comprise 10 to 18 carbon atoms.

20. (Canceled)

21. (Previously Presented) A composition according to Claim 14, wherein at least one of said R' groups chosen from linear and branched, saturated and unsaturated hydrocarbons comprises 10 to 18 carbon atoms.

22. (Previously Presented) A composition according to Claim 14, wherein at least two of said R' groups are chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

23. (Previously Presented) A composition according to Claim 14, wherein at least three of said R' groups are chosen from linear and branched, unsaturated hydrocarbons comprising 2 to 22 carbon atoms and one C=C double bond.

24. (Previously Presented) A composition according to Claim 14, wherein said R' is chosen from linear and branched hydrocarbons comprising 2 to 22 carbons and one C=C double bond.

25. (Previously Presented) A composition according to Claim 14, wherein said R' is chosen from linear and branched hydrocarbons comprising 10 to 18 carbons and one C=C double bond.

26. (Original) A composition according to Claim 14, wherein said R' is chosen from caproyleyl groups, lauroyleyl groups, myristoyleyl groups, palmitoyleyl groups, oleyl groups, gadoleyl groups, linoleyl groups, linolenyl groups and elaidyl groups.

27. (Canceled)

28. (Previously Presented) A composition according to Claim 14, wherein said at least one compound of formula (I) is chosen from:

- cis-1,3,5-tris(oleylaminocarbonyl)cyclohexane,
- cis-1,3,5-tris(gadoleylaminocarbonyl)cyclohexane,
- cis-1,3,5-tris(elaidylaminocarbonyl)cyclohexane,
- cis-1,3-bis(oleylaminocarbonyl)-cis-5-(octadecylaminocarbonyl)cyclohexane,
- cis-1,3-bis(oleylaminocarbonyl)-cis-5-(dodecylaminocarbonyl)cyclohexane,
- cis-1,3-bis(oleylaminocarbonyl)-cis-5-[N-(3,7-dimethyloctyl)aminocarbonyl]cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis(octadecylaminocarbonyl)cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis(dodecylaminocarbonyl)cyclohexane,
- cis-1-(oleylaminocarbonyl)-cis-3,5-bis[N-(3,7-dimethyloctyl)aminocarbonyl]cyclohexane,

- trans-1,3,5-trimethyl-1,3,5-tris(oleylaminocarbonyl)cyclohexane and
- trans-1,3,5-trimethyl-1,3,5-tris(gadoleylaminocarbonyl)cyclohexane.

29. (Original) A composition according to Claim 14, wherein said at least one compound of formula (I) is present in an amount ranging from 1% to 40% by weight.

30. (Original) A composition according to Claim 29, wherein said at least one compound of formula (I) is present in an amount ranging from 2% to 10% by weight.

31. (Original) A composition according to Claim 30, wherein said at least one compound of formula (I) is present in an amount ranging from 3% to 8% by weight.

32. (Original) A composition according to Claim 31, wherein said at least one compound of formula (I) is present in an amount ranging from 4% to 6% by weight.

33. (Original) A composition according to Claim 14, further comprising at least one oil chosen from cosmetically acceptable oils and dermatologically acceptable oils.

34. (Original) A composition according to Claim 14, further comprising at least one oil chosen from hydrocarbon-based oils, silicone oils and fluoro oils.

35. (Original) A composition according to Claim 34, wherein said at least one oil is volatile.

36. (Original) A composition according to Claim 34, wherein said at least one oil originates from an origin chosen from animal origins, plant origins, mineral origins and synthetic origins.

37. (Original) A composition according to Claim 14, further comprising at least one wax in a concentration of less than about 5% by weight relative to the total weight of said composition.

38. (Original) A composition according to Claim 37, wherein said at least one wax is present in a concentration of less than 2% by weight relative to the total weight of said composition.

39. (Original) A composition according to Claim 38, wherein said at least one wax is present in a concentration of less than 0.5% by weight relative to the total weight of said composition.

40. (Original) A composition according to Claim 39, wherein no wax is present in said composition.

41. (Original) A composition according to Claim 14, wherein said composition is in the form of a solid.

42. (Original) A composition according to Claim 14, wherein said composition has a hardness ranging from 0.04 N to 3 N.

43. (Original) A composition according to Claim 42, wherein said hardness ranges from 0.1 N to 2.5 N.

44. (Original) A composition according to Claim 43, wherein said hardness ranges from 0.5 N to 2 N.

45. (Original) A composition according to Claim 14, wherein said composition is translucent.

46. (Original) A composition according to Claim 14, wherein said composition is transparent.

47. (Original) A composition according to Claim 14, wherein said composition has a maximum light transmittance value, irrespective of its wavelength, ranging from 400 nm and 800 nm, through a 1 cm thick sample, of at least 2%.

48. (Original) A composition according to Claim 14 in the form chosen from: solid and soft oily gels, optionally comprising water, solid and gelled oil-in-water emulsions, water-in-oil emulsions and multiple emulsions, dispersions of oil in water;

multi-phase systems; creams, salves, soft pastes, ointments, cast solids, moulded solids; and transparent anhydrous rigid gels and translucent anhydrous rigid gels.

49. (Original) A composition according to Claim 48, wherein said multi-phase systems are two-phase systems.


50. (Original) A composition according to Claim 48, wherein said cast solids are sticks.

51. (Original) A composition according to Claim 48, wherein said moulded solids are sticks.

52. (Original) A composition according to Claim 48, wherein said rigid gels are sticks.

53-73. (Canceled).

74. (Previously Presented) A compound of formula (I):



wherein:

- R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 6 carbon atoms;

- Y, which may be identical or different, are each chosen from -CO-S-R' groups, -CO-NHR' groups, NH-COR' groups and -S-COR' groups, wherein R', which may be identical or different, are each chosen from

- hydrogen atoms,


- aryl groups, optionally substituted with at least one hydrocarbon comprising 1 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons, and

- linear, branched and cyclic, saturated and unsaturated hydrocarbons comprising 1 to 22 carbon atoms;

wherein at least one of said R' groups is chosen from aryl groups, substituted with at least one hydrocarbon comprising 10 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, unsaturated hydrocarbons.

75-76. (Canceled)

77. (Previously Presented) A composition comprising at least one compound of formula (I):



wherein:

- R, which may be identical or different, are each chosen from hydrogen atoms and linear and branched, saturated hydrocarbons comprising 1 to 6 carbon atoms;
 - Y, which may be identical or different, are each chosen from -CO-S-R' groups, -CO-NHR' groups, NH-COR' groups and -S-COR' groups, wherein R', which may be identical or different, are each chosen from
 - hydrogen atoms,
 - aryl groups, optionally substituted with at least one hydrocarbon comprising 1 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons, and
 - linear, branched and cyclic, saturated and unsaturated hydrocarbons comprising 1 to 22 carbon atoms;
- wherein at least one of said R' groups is chosen from aryl groups, substituted with at least one hydrocarbon comprising 10 to 22 carbon atoms, wherein said hydrocarbon is chosen from linear and branched, saturated and unsaturated hydrocarbons.

78-80. (Canceled)